
























- #1 N1
- #1.PA ○ ○
- #1.PE ○ ○
- #1.PB ○ ○
- #1.PC ○ ○
- #1.PF ○ ○
- #1.PD ○ ○





		
#1.PA Fonksiyon:PA İğne:1	#1.PE Fonksiyon:PE İğne:1	#1.PB Fonksiyon:PB İğne:1
		
#1.PC Fonksiyon:PC İğne:1	#1.PF Fonksiyon:PF İğne:1	#1.PD Fonksiyon:PD İğne:1

#1.PA			PA,	İğne:1,	Renk:Ackermann 3110 / İğne_28 4,0 x 4,0
#1.PE			PE,	İğne:1,	Renk:Ackermann 3110 / İğne_28 4,0 x 4,0
#1.PB			PB,	İğne:1,	Renk:Ackermann 3110 / İğne_28 4,0 x 4,0
#1.PC			PC,	İğne:1,	Renk:Ackermann 3110 / İğne_28 4,0 x 4,0
#1.PF			PF,	İğne:1,	Renk:Ackermann 3110 / İğne_28 4,0 x 4,0
#1.PD			PD,	İğne:1,	Renk:Ackermann 3110 / İğne_28 4,0 x 4,0



Desen no :12683.01
Desen Adı :Desen20
Müşteri :
Vuruş :26602
Adım boyu :40
Boyut :190,0 x 190,5 mm
İğne :1
Stop :1
Çalışma sırası :1-s
Açıklamalar :

Vuruş Dağılımı

Aralık	Vuruş	Dağılım (Yüzde)
0,0 - 2,0 mm	10651	40,0%
2,0 - 4,0 mm	10740	40,4%
4,0 - 6,0 mm	28	0,1%
6,0 - 9,0 mm	0	0,0%

İğneler_Uzunluklar

Detay No	Fonksiyon	Vuruş	Uzunluk (m)	Renk	İğne Bilgisi
1	Nakişa Başla	21419	45,0	Blue	Ackermann 3110
2	Toplam uzunluk		45,0		
3	Alt iplik		40,7		

Pul Sayıları

	A	B	C	D	E	F	
1	1.795	1.689	866	113	513	192	5.168