
















25.01.2023

- #1 N1
- #2 S
- #3 N2
- #3.PA 
- #4 N1
- #4.PA 
- #5 N3
- #5.PA 



		
<p>#2 Fonksiyon:S İğne:1</p>	<p>#3.PA Fonksiyon:PA İğne:2</p>	<p>#4.PA Fonksiyon:PA İğne:1</p>
		
<p>#5.PA Fonksiyon:PA İğne:3</p>		

#2  S, İğne:1, Renk:Ackermann 3110
#3.PA  PA, İğne:2, Renk:Ackermann 5531 / std-2 5,0 x 5,0
#4.PA  PA, İğne:1, Renk:Ackermann 3110 / std-1 4,0 x 4,0
#5.PA  PA, İğne:3, Renk:Ackermann 4430 / std-1 4,0 x 4,0



Desen no	:2016349.02
Desen Adı	:1172-SW-05 4-5 MM pul
Müşteri	:
Vuruş	:13271
Adım boyu	:127
Boyut	:282,5 x 197,8 mm
İğne	:3
Stop	:1
Çalışma sırası	:-s-2-1-3
Açıklamalar	:3,80 tl

Vuruş Dağılımı

Aralık	Vuruş	Dağılım (Yüzde)
0,0 - 2,0 mm	132	0,4%
2,0 - 4,0 mm	10053	76,3%
4,0 - 6,0 mm	8	0,02%
6,0 - 9,0 mm	1	0,001%

İğneler_Uzunluklar

Detay No	Fonksiyon	Vuruş	Uzunluk (m)	Renk	İğne Bilgisi
1	Nakışa Başla	5961	19,0	Dark Blue	Ackermann 3110
2	İğne 2	2453	8,9	Green	Ackermann 5531
3	İğne 3	1783	5,7	Cyan	Ackermann 4430
4	Toplam uzunluk		33,6		
5	Alt iplik		30,4		

Pul Sayıları

	A
1	1.743
2	766
3	553
Toplam	3.062

3.062