

















8.02.2023

#1	N1
#2	S
#3	S
#4	S
#5	S
#6	S
#7	S



		
<p>#2 Fonksiyon:S İğne:1</p>	<p>#3 Fonksiyon:S İğne:1</p>	<p>#4 Fonksiyon:S İğne:1</p>
		
<p>#5 Fonksiyon:S İğne:1</p>	<p>#6 Fonksiyon:S İğne:1</p>	<p>#7 Fonksiyon:S İğne:1</p>

- | | | | | |
|----|---|----|---------|---------------------|
| #2 |  | S, | İğne:1, | Renk:Ackermann 3110 |
| #3 |  | S, | İğne:1, | Renk:Ackermann 5531 |
| #4 |  | S, | İğne:1, | Renk:Ackermann 4430 |
| #5 |  | S, | İğne:1, | Renk:Ackermann 0851 |
| #6 |  | S, | İğne:1, | Renk:Ackermann 1913 |
| #7 |  | S, | İğne:1, | Renk:Ackermann 3045 |



Desen no :1089.01
Desen Adı :01604200.DST
Müşteri :
Vuruş :6083
Adım boyu :40
Boyut :90,6 x 84,6 mm
İğne :1
Stop :6
Çalışma sırası :1-s-s-s-s-s
Açıklamalar :

Vuruş Dağılımı

Aralık	Vuruş	Dağılım (Yüzde)
0,0 - 2,0 mm	2973	48,5%
2,0 - 4,0 mm	2928	48,0%
4,0 - 6,0 mm	32	0,5%
6,0 - 9,0 mm	37	0,6%

İğneler_Uzunluklar

Detay No	Fonksiyon	Vuruş	Uzunluk (m)	Renk	İğne Bilgisi
1	Nakişa Başla	5996	12,9	Blue	Ackermann 3110
2	Toplam uzunluk		12,9		
3	Alt iplik		11,7		