






- #1 N1
- #2 S
- #3 S
- #4 S
- #5 S
- #6 S
- #6.PA ○○





















Desen no : 4406.01
Desen Adı : Desen1
Müşteri :

Ölçek : 100 %
Boyut : 400,8 x 441,2 mm
Vuruş : 26590

		
#2 Fonksiyon:S İğne:1	#3 Fonksiyon:S İğne:1	#4 Fonksiyon:S İğne:1
		
#5 Fonksiyon:S İğne:1	#6 Fonksiyon:S İğne:1	#6.PA Fonksiyon:PA İğne:1

#2  S, İğne:1, Renk:Ackermann 3110
 #3  S, İğne:1, Renk:Ackermann 3110
 #4  S, İğne:1, Renk:Ackermann 3110
 #5  S, İğne:1, Renk:Ackermann 3110
 #6  S, İğne:1, Renk:Ackermann 3110
 #6.PA    PA, İğne:1, Renk:Ackermann 3110 / std-2 5,0 x 5,0



Desen no :4406.01
Desen Adı :Desen1
Müşteri :
Vuruş :26590
Adım boyu :40
Boyut :400,8 x 441,2 mm
İğne :1
Stop :5
Çalışma sırası :1-s-s-s-s-s
Açıklamalar :

Vuruş Dağılımı

Aralık	Vuruş	Dağılım (Yüzde)
0,0 - 2,0 mm	95	1%
2,0 - 4,0 mm	19305	73%
4,0 - 6,0 mm	8	0%
6,0 - 9,0 mm	2063	8%

İğneler_Uzunluklar

Detay No	Fonksiyon	Vuruş	Uzunluk (m)	Renk	İğne Bilgisi
1	Nakışa Başla	21514	79,3		Ackermann 3110
2	Toplam uzunluk		79,3		
3	Alt iplik		71,8		

Pul Sayıları

	A
1	2.087